

### Claim Amendments

1-19. (Canceled)

20. (Currently amended) A polytetrafluoroethylene (PTFE) material comprising:

aggregations of nodes;

short fibrils multidirectionally interconnecting the nodes in the aggregations to form expanded aggregations; and

long fibrils interconnecting the aggregations.

21. (Original) The material of claim 20 wherein the long fibrils have average lengths of about 100 to 1000 microns.

22. (Original) The material of claim 20 wherein the long fibrils have average lengths of about 500 to 1000 microns.

23. (Original) The material of claim 20 wherein the short fibrils have average lengths of about 10 to 30 microns.

24. (Original) The composite article as recited in claim 20, wherein the aggregations have densities of less than about 2.0 grams per cubic centimeter.

25. (Original) The composite article as recited in claim 20, wherein the nodes have densities of about 2.0 to 2.2 grams per cubic centimeter.

Appl. No. 09/918,844  
Amtd. Dated June 15, 2004  
Reply to Office action of June 3, 2004

26. (Currently amended) A polytetrafluoroethylene (PTFE) material comprising:

expanded aggregations of nodes, the nodes being multidirectionally interconnected by fibrils having average lengths of about 10 to 30 microns;

long fibrils having average lengths of about 500 to 1000 microns interconnecting the aggregations;

the aggregations having densities of less than about 2.0 grams per cubic centimeter; and

the nodes having average densities of about 2.0 to 2.2 grams per cubic centimeter.